


# SCHEDA TECNICA



## COPRIMURO UNICO ELITE



### COPRIMURO lunghezza cm 100 in cemento superlevigato colorato e idrofugato

CODICE	MIS. INT. Cm	Peso a pz. Kg	PEDANA		COLORI DISPONIBILI				
			ML	Pz	GRIGIO PERLACEO	ROSSO TERRA	BIANCO ROCCIA	GIALLO TUFO	SALMONE CHIARO
 <b>CMU-EL/01</b>	11,5	15,8	76	76	✓	✓	✓	✓	✓
 <b>CMU-EL/07</b>	14,5	17,0	76	76	✓	✓	✓	✓	✓
 <b>CMU-EL/02</b>	16,5	19,5	76	76	✓	✓	✓	✓	✓
 <b>CMU-EL/03</b>	22	24,1	57	57	✓	✓	✓	✓	✓
 <b>CMU-EL/06</b>	24	25,2	57	57	✓	✓	✓	✓	✓
 <b>CMU-EL/04</b>	27	26,3	57	57	✓	✓	✓	✓	✓
 <b>CMU-EL/05</b>	32	29,3	36	38	✓	✓	✓	✓	✓

1 pezzo per ML






# SCHEDA TECNICA



**TESTATA**



## TESTATA lunghezza misura esterna cm 25 in cemento superlevigato colorato e idrofugato

ARTICOLO	MIS. INT. Cm	Peso a pz. Kg	Pedana Pz	COLORI DISPONIBILI				
				GRIGIO PERLACEO	ROSSO TERRA	BIANCO ROCCIA	GIALLO TUFO	SALMONE CHIARO
								
<b>CMU-EL/T/01</b>	11,5x22	4,3	60	√	√	√	√	√
<b>CMU-EL/T/07</b>	14,5x22	4,6	60	√	√	√	√	√
<b>CMU-EL/T/02</b>	16,5x22	5,2	60	√	√	√	√	√
<b>CMU-EL/T/03</b>	22x22	6,1	60	√	√	√	√	√
<b>CMU-EL/T/06</b>	24x22	6,7	60	√	√	√	√	√
<b>CMU-EL/T/04</b>	27x22	7,3	60	√	√	√	√	√
<b>CMU-EL/T/05</b>	32x22	8,3	60	√	√	√	√	√






# SCHEDA TECNICA



## CAPITELLO



### CAPITELLO in cemento superlevigato colorato e idrofugato

ARTICOLO	MIS. INT. Cm	Peso a pz. Kg	Pedana Pz	COLORI DISPONIBILI				
				GRIGIO PERLACEO	ROSSO TERRA	BIANCO ROCCIA	GIALLO TUFO	SALMONE CHIARO
								
<b>CMU-EL/CP/01</b>	<b>27x27</b>	<b>9,5</b>	<b>60</b>	√	√	√	√	√
<b>CMU-EL/CP/02</b>	<b>32x32</b>	<b>10,5</b>	<b>60</b>	√	√	√	√	√